

ACCESSORIES



Install Kit

INSTALL KIT

Available for all models.

Great for multi-unit placements.

All essential parts needed for install including tubing, fittings, regulator(s), and install diagram.

Customized install kits available for specific customer requirements:

- 2 Barrel, Bottle CO₂ System (Part #12-2474-0001)
- 2 Barrel, Bulk CO₂ System (Part #12-2474-0002)
- 3 Barrel, Bottle CO₂ System (Part #12-2474-0006)
- 3 Barrel, Bulk CO₂ System (Part #12-2474-0007)
- 4 Barrel, Bottle CO₂ System (Part #12-2474-0004)
- 4 Barrel, Bulk CO₂ System (Part #12-2474-0005)

CUP/LID/STRAW DISPENSER

Maximize counter space with this compact modular dispenser.

Easy to clean and maintain.

Holds cups of various sizes from 3.5 oz. to 44 oz.

Side-Mount, Lid/Straw Dispenser (Part # 42-2030-0002)

Cup-Only Dispenser (Part #42-2031-0001)



Cup Dispenser

STACKABLE BIB RACK

Various shelf/rack options available for organizing and storing syrups:

- Shelf, 1 Box Wide (Part #12-2597-0002)
- Shelf, 2 Boxes Wide (Part #12-2597-0001)
- Shelf, 3 Boxes Wide (Part #12-2597-0003)
- Rack, 2 Boxes (Part #12-2597-0002)
- Rack, 3 Boxes (Part #12-2597-0003)

ACCESSORIES



Frozen Beverage Dispensers
EVERYONE LOVES FROZEN™

FBD Partnership, LP | 866.323.2777 | sales@fbdfrozen.com | fbdfrozen.com

24-3100-0045_B



BUCK & BOOST TRANSFORMER

TRANSFORMER SPECIFICATIONS

When to use a buck and boost transformer:

- To raise or lower line voltage to the range required by the unit.
- To prolong the life of electrical components.
- Unit voltage reads below 200V when the compressor is ON.
- Unit voltage reads above 230V when the compressor is ON.
- To maintain voltage in the 200–230 VAC range.



Buck and Boost Transformer

Transformer Kits (60 Hz Only)

14-0378-0005 (60 Hz Only)

Transformer assembly with 30 amp plug.

Recommended models: 562, 563, 564, 772, 773, 774 with a 30 amp plug.

12-0378-0002 (60 Hz Only)

Transformer assembly with 20 amp plug.

Recommended models: 562 and 772 with 20 amp plug.

Includes L6-20P and L6-20C 20 amp plug, 8 foot input cord, and 4 foot output cord.

Transformer Kits (50 & 60 Hz Only)

14-0378-0001 (Buck and Boost Transformer Only)

Recommended models: 562 and 772.

12-0378-0005

Buck transformer assembly with 20 amp plug.

Recommended models: 562 and 772 with 20 amp plug.

Includes L6-20P and L6-20C 20 amp plugs, 8 foot input cord, and 4 foot output cord.

12-0378-0006

Buck transformer assembly with 20 amp plug.

Recommended models: 562 and 772 with 20 amp plug.

Includes L6-20P and L6-20C 20 amp plugs, 8 foot input cord, and 4 foot output cord

14-2107-0002 (Buck and Boost Transformer Only)

Recommended models: 563, 564, 773, and 774.

12-0378-0001

Boost transformer assembly with 30 amp plug.

Recommended models: 562, 563, 564, 772, 773, 774 with a 30 amp plug.

Includes L6-30P and L6-30C 30 amp plug, 8 foot input cord, and 4 foot output cord.

12-0378-0007

Buck transformer assembly with 30 amp plug.

Recommended models: 562, 563, 564, 772, 773, 774 with a 30 amp plug.

Includes L6-30P and L6-30C 30 amp plugs, 8 foot input cord, and 4 foot output cord.

BUCK & BOOST TRANSFORMER



BASE CART SPECIFICATIONS

FBD® base carts are available for all models.

- Reduces millwork and renovation expenses.
- Simplifies installation.
- Simplifies service access.
- Durable stainless steel construction.
- Wheels provide easy cleaning.
- Serves as BIB syrup storage.
- Pre-plumbed carts available.



BASE CART DIMENSIONS

2 Barrel Cart

Width: 17.0 in. (432 mm)
Depth: 34.2 in. (869 mm)
Height: 34.5 in. (876 mm)
Weight: 67 lbs (30.4 kg)

3 Barrel Cart

Width: 20.5 in. (521 mm)
Depth: 34.2 in. (869 mm)
Height: 34.5 in. (876 mm)
Weight: 74.0 lbs (33.6 kg)

4 Barrel Cart

Width: 26.0 in. (660 mm)
Depth: 32.8 in. (833 mm)
Height: 34.5 in. (876 mm)
Weight: 97.0 lbs (44.0 kg)



BASE CARTS



Base Cart 2 Barrel
Part #12-2493-0001
(#12-2493-0007 for 352)



Base Cart 3 Barrel
Part #12-2516-0001



Base Cart 4 Barrel
Part #12-2899-0001

FBD Partnership, LP | 866.323.2777 | sales@fbdfrozen.com | fbdfrozen.com

ROHS Compliant. FBD strives for continuous improvements and engineering innovations. Equipment design and/or specifications may change without notice. FBD Partnership, LP • 8161 Interchange Parkway, Suite 115 • San Antonio, TX 78218 • 210.637.2800 • 1.866.323.2777 • Fax: 210.637.2844 • www.fbdfrozen.com • ©2018 FBD Partnership, LP • FBD®, the FBD logo, and "Everyone Loves Frozen™" are trademarks of FBD Partnership, LP, all rights reserved.